

FDM/FFF 3D Printer เครื่องพิมพ์ระบบเส้นพลาสติก



FLASHFORGE FINDER
14*14*14cm
Touch Screen/ Wifi
DESIGN AWARD 2016
More Info



FLASHFORGE ADVENTURER3
15*15*15cm
Touch Screen
Wifi
Heat Bed/
Camera
Cloud Printing
More Info



FLASHFORGE DREAMER
23*15*15cm
2 Extruders
Touch Screen/ Wifi
More Info



CREATOR PRO
23*15*15cm
2 Extruders
Metal Frame
More Info



GUIDER2 FLASHFORGE
28*25*30cm
Touch Screen/ Cloud Printing
Metal Frame
พิมพ์ ABS ได้สวย
พิมพ์ PLA ได้แจ่ม
More Info

FDM/FFF 3D Printer **LARGE SIZE!!** เครื่องพิมพ์ขนาดใหญ่กว่า 30cm ขึ้นไป



PRINT3DD MAX300
30*25*30cm
2 Extruders
Touch Screen
More Info




PRINT3DD MAX350
30*25*52cm
2 Extruders
Touch Screen
More Info



PRINT3DD MAX400
40*30*30cm
2 Extruders
Touch Screen
More Info



PRINT3DD MAX450
40*30*52cm
2 Extruders
Touch Screen
More Info



PRINT3DD MAX660
60*60*60cm
2 Extruders
Touch Screen
More Info

WWW.PRINT3DD.COM
โทร.096-140-0420
02-415-4346



DLP/SLA 3D Printer เครื่องพิมพ์ระบบน้ำเรซิน



Flashforge Hunter
Multipurpose DLP Printer
Build Size : 12*6.75*15cm
Pixel Size : 62.5Micron
Z resolution : 5-200micron
wifi, USB connection
Plug&Play Easy-to-use



MiiCraft
MiiCraft50/80/100/125
Build Size : 12*7.0*12cm
to 5.7*3.2*12cm
Pixel Size : 30-65Micron
Z resolution : 5-200micron
LAN, USB connection

Item	MiiCraft 125	MiiCraft 100	MiiCraft 80	MiiCraft 50	MiiCraft 100X
Max. Building Size (mm)	125x70x120	102x57.5x120	80x45x120	57x32x120	102x57.5x120
XY Resolution	65 µm	53 µm	41.5 µm	30 µm	53 µm
Z-axis Layer Thickness	5~ 200 µm				
Wavelength	405nm LED				365nm UV LED

Materials / Accessories วัสดุและสินค้าที่เกี่ยวข้อง



Filament



Resin



Powder Spray



Spare Parts



SIEMENS



AUTODESK FUSION 360
AUTODESK Software

3D Scanner



Sense

More Info



EinScan-SE

More Info



EinScan-Pro/Pro+



David SLS3/

HP 3D Scan Pro S3

SPECIFICATION


Process	Infrared	White Light
Accuracy	<1mm	<0.1mm
Single Scan Size	Continue Scan	200*150mm
Max Scan Size	People Body	70x70x70cm
Auto Scan	No Auto Scan	YES
Output	.STL, .OBJ, .PLY	.STL, .OBJ, .ASC
Weight	0.5Kg	4Kg

SPECIFICATION

White Light/Hand Held	White Light
0.05-0.1mm	0.05mm
210*150mm/300*170mm	500*280mm
Whole Car	Whole Car
YES (Add On)	YES (Add On)
.STL, .OBJ, .ASC	.STL, .OBJ, .ASC
0.8kg	9Kg



- ✓Enhanced Color Reproduction
- ✓Optimize Texture Mapping
- ✓Color control adjustment
- ✓Hybrid Alignment
- ✓Global Registration Optimize
- ✓Offline mode



SOLID EDGE ST10

Reverse Engineer Function Included



NEW!! Flashforge Adventurer3

15*15*15cm/Heated bed

Cloud Printing,wifi

Build-in Camera



Print3dd-ปริ้นท์สามมิติ 3D PRINTER STORE



www.Print3Dd.com



บริษัท นีโอเทค จำกัด
89/7 โครงการ เจ.เอส.พี. เฟส4
ถนนกัลปพฤกษ์ คลองบางพราน
บางบอน กรุงเทพฯ 10150
sales@print3dd.com
Line ID : @print3dd



More Info

02-415-4346, 096-140-0420





บริษัท เมคคิลิค จำกัด / บริษัท นีโอเทค จำกัด
www.print3dd.com



Kings Kings 600 Pro Leading Brand in Industrial SLA 3D Printer

Build Size: XYZ 600mm×600mm×400mm
Equipment Size: 108cm×120cm×198cm
Equipment Weight: about 980kg
Rated Dissipation: 1.5KVA
Resin Tank Weight: about 240kg



Industrial SLA SLS SLM 3D Printer ระดับอุตสาหกรรม เพื่อการผลิต

ตอบสนองความต้องการงาน 3D ทุกรูปแบบ ไม่ว่าจะเป็นงาน resin, polymer, metal




Kings SLA 6035Pro ส:บมเรชั่น

Build Size: 350mm×600mm×350mm
Equipment Size: 108cm×95cm×198cm
Equipment Weight: about 880kg
Rated Dissipation: 1.5KVA
Resin Tank Weight: about 160kg



Kings SLA 800Pro ส:บมเรชั่น

Build Size: 800mm×800mm×500mm
Equipment Size: 129cm×139cm×220cm
Equipment Weight: about 1200kg
Rated Dissipation: 1.8KVA
Resin Tank Weight: about 500kg



Kings SLA 1700 Pro ส:บมเรชั่น

Build Size: 1700mm×800mm×600mm
Equipment Size: 239cm×159cm×226cm
Equipment Weight: about 2400kg
Rated Dissipation: 1.8KVA
Resin Tank Weight: about 1300kg



EP-C series Wax/Sand SLS printer ส:บม SLS

Material: PS, resin sand, TPU, etc.
Build Volume: 700 x 700 x 500 mm
Layer Thickness: 0.15 mm (0.04-0.3 mm to choose)
Build Accuracy: 0.15mm (part size 100mm), 0.15% (part size 100mm)
Material Feed Mode: Automatic loading, Bi-directional powder feeding
Laser Power: CO2 laser, 100 w




EP-P380 SLS Nylon Printer ส:บม SLS

Material: PA12, PA12GF, PP, TPU, PE, TPE
Build Volume: 380 x 380 x 500 mm
Layer Thickness: 0.1 mm (0.04-0.3 mm to choose)
Build Accuracy: ±0.15mm (part size 100mm), ±0.15% (part size 100mm)
Material Feed Mode: Automatic loading, bi-directional powder feeding
Laser Power: CO2 laser, 55 w



EP-M100T Direct Metal Printer เครื่องพิมพ์โลหะ

Material: Stainless steel, maraging steel, high temperature nickel base alloy, cobalt chromium alloy, high strength steel, copper alloy
Building Volume: 120 x 120 x 80 mm
Layer Thickness: 0.015-0.05 mm
Laser Power: 100 w/200 w



EP-M250 Direct Metal Printer เครื่องพิมพ์โลหะ

Material: Stainless steel, maraging steel, nickel base alloy, titanium alloy, cobalt chromium alloy, aluminum alloy, copper alloy
Building Volume: 250 x 250 x 300 mm
Layer Thickness: 0.02 - 0.1 mm
Laser Power: 200 w or 500 w